



(R)Evolution Prosthetic Flow Chart



Diameter	Length	Height	Art. No.	Type
3.5 mm	6.5 mm	3.5 mm	0800	●
	8 mm	3.5 mm	0815	
	10 mm	3.5 mm	0830	
	12 mm	3.5 mm	0845	
	14 mm	3.5 mm	0860	
4.0 mm	6.5 mm	3.5 mm	0802	●
	8 mm	3.5 mm	0817	
	10 mm	3.5 mm	0832	
	12 mm	3.5 mm	0847	
	14 mm	3.5 mm	0862	
4.5 mm	6.5 mm	3.5 mm	0805	●
	8 mm	3.5 mm	0820	
	10 mm	3.5 mm	0835	
	12 mm	3.5 mm	0850	
	14 mm	3.5 mm	0865	
5.5 mm	6.5 mm	3.5 mm	0810	●
	8 mm	3.5 mm	0825	
	10 mm	3.5 mm	0840	
	12 mm	3.5 mm	0855	
	14 mm	3.5 mm	0870	
	16 mm	3.5 mm	0885	

TORQUE WRENCH ADAPTER



	Diameter	Length	Art. No.	Type
Torque Wrench Adapter (R)Evolution	4.7 mm	3.7 mm	3061	●
Insertion Aid, HP connection (R)Evolution Maximum torque with handpiece (HP): 50 Ncm	2.8 mm	7 mm	3063	
Insertion Aid short (R)Evolution Ricci I	2.8 mm	10 mm	30631	
Insertion Aid long (R)Evolution Ricci II	2.8 mm	20 mm	30632	
Insertion Aid Multi-Unit	4.9 mm	13 mm	3062	

Material: Stainless steel

Important for an angled placement: During the final placement, make sure that one of the flat surfaces of the Insertion Aid is in a vestibular position.

GINGIVA-CLIX



Clix on Shuttle



"Gingiva-Clix +1/+1" means that the radius of the Clix is 1 mm bigger than the one of the Shuttle and that the Clix is 1 mm higher than the Shuttle.

	Diameter	Height ¹	Art. No.	Type
Gingiva-Clix +1/+1	5.8 mm	4.6 mm	31001	●
Gingiva-Clix +1/+3	5.8 mm	5.6 mm	31003	
Gingiva-Clix +1/+5	5.8 mm	7.6 mm	31005	
Gingiva-Clix +2/+1	7.5 mm	4.6 mm	31011	
Gingiva-Clix +2/+3	7.5 mm	5.6 mm	31013	
Gingiva-Clix +2/+5	7.5 mm	7.6 mm	31015	

Material: WIN® PEEK

ABUTMENTS

	Diameter	Height ¹	Art. No.	Type
Abutment Massiv 1 GH2	6.0 mm	7.9 mm	31171	●
Abutment Massiv 1L GH2	6.0 mm	12.9 mm	31172	
Abutment Massiv 2 GH4	6.0 mm	7.9 mm	31173	
Abutment Massiv 2L GH4	6.0 mm	12.9 mm	31174	
Abutment Massiv 3L GH6	6.0 mm	12.9 mm	31175	
Abutment Massiv 4 GH2	6.0 mm/9.0 mm	7.9 mm	31176	
Abutment Massiv 4 GH4	6.0 mm/9.0 mm	12.9 mm	31177	
Abutment Bonding Basis GH1	4.0 mm	5.5 mm	3104	
Scan Cap (Material: WIN® PEEK)	3.6 mm	6.0 mm	3123	
Abutment Prep-Cap	3.3 mm	5.2 mm	3107	


LABORATORY EQUIPMENT & IMPRESSION (R)EVOLUTION

	Diameter	Height	Art. No.	Type
Impression Post Disposable product Material: WIN® PEEK	4.4 mm	8.2 mm ²	3122	●
Laboratory Analog Set including: Laboratory Analog, Gingiva-Shuttle, and Fixation Screw Material: Titanium grade 5			31218	

or

	Diameter	Height ¹	Art. No.	Type
Abutment 0° GH1	4.3 mm	6.1 mm	3105	●
Abutment 0° GH3	4.3 mm	7.2 mm	31050	
Abutment 0° GH5	4.3 mm	9.2 mm	310505	
Abutment Ball-Head GH1	2.9 mm	6.8 mm	3106	
Abutment Ball-Head GH3	2.9 mm	8.8 mm	31060	
Abutment is inserted with Item # 3040 or 3060 (Insertion Aid for one-piece Champions).				
Abutment 15° GH1	4.3 mm	6.3 mm	31051F	
Abutment 15° GH3	4.3 mm	8.3 mm	31051F3	
Abutment 15° GH5	4.3 mm	10.3 mm	31051F5	
Abutment 22.5° GH1	4.3 mm	6.4 mm	31052F	
Abutment 22.5° GH3	4.3 mm	8.4 mm	31052F3	
Abutment 22.5° GH5	4.3 mm	10.4 mm	31052F5	
Abutment 30° GH1	4.3 mm	6.4 mm	31053F	
Abutment 30° GH3	4.3 mm	8.4 mm	31053F3	
Abutment 30° GH5	4.3 mm	10.4 mm	31053F5	
Preform-Abutment for CAD/CAM Exocad or 3Shape-Software available on demand	12.0 mm	15.0 mm	31071	


PROSTHETIC DRIVER



	Diameter	Length	Art. No.	Type
Prosthetic Driver	1.9 mm	21 mm	3086	●
Prosthetic Driver short	1.9 mm	14 mm	30861	

Material: Stainless steel

SHUTTLE-EXTRACTOR



	Diameter	Length	Art. No.	Type
Shuttle-Extractor	1.9 mm	20 mm	3087	●

For removing the Gingiva-Shuttle
Use the Shuttle-Extractor manually.
Use a Torque Wrench only when the Shuttle cannot be removed manually!

Material: Stainless steel